


Full unedited gel for Figure 2f




Antibody used

phospho-Histone H3 (Cell Signaling, 3377S)

β -actin-(Sigma, A1978)

Full unedited gel for Figure 3h




Antibody used:

phospho-Histone H3 (Cell Signaling, 3377S

β -actin-(Sigma, A1978)

Full unedited gel for Figure 4a




Antibody used:

α -tubulin (Sigma, T9026)

β -actin-(Sigma, A1978)

Full unedited gel for Figure 4c




Antibody used:

α -tubulin (Sigma, T9026)

β -actin-(Sigma, A1978)




Full unedited gel for Figure 4i



*Antibody used:
α-tubulin (Sigma, T9026)*

Full unedited gel for Figure 5d

	37				56				60			
Rigosertib	-	+	-	+	-	+	-	+	-	+	-	+
Uric acid	-	-	+	+	-	-	+	+	-	+	+	+




Antibody used:

α -tubulin (Sigma, T9026)

β -tubulin (Cell Signaling, 2146S)

β -actin-(Sigma, A1978)

Full unedited gel for Figure S3a




Antibody used:

α -tubulin (Sigma, T9026)

β -actin-(Sigma, A1978)

Full unedited gel for Figure S3c



Antibody used:

α -tubulin (Sigma, T9026)

β -actin-(Sigma, A1978)