
719 **SUPPLEMENTARY FIGURE:**

720 **SUPPLEMENTARY FIGURE 1:**



722

Supplemental Figure 1: Correlation of ARC from all WT and mutant samples comparing

HSVM and μ OCT. n=42 data points (one data point from each tracheal sample).

721

723

724

725	VIDEO LEGENDS:
726	Supplementary Video 1: Representative HSVM of tracheal ROI from <i>Ccdc39</i> -/- mice (Top
727	Panel) and $Ccdc39^{+/+}$ littermate control mice (Lower Panel). Playback rate is 30 fps
728	Supplementary Video 2 . Representative μ OCT video of tracheal ROI from $Ccdc39^{+/+}$
729	littermate control mice (Left Panel) and Ccdc39 ^{-/-} mice (Right Panel). Playback rate is 40 fps
730	Supplementary Video 3: Representative HSVM of tracheal ROI from <i>Dnah5</i> -/- (Top Panel) and
731	from <i>Dnah5</i> ^{+/+} littermate control mice (Lower Panel). Playback rate is 30 fps.
732	Supplementary Video 4 . Representative μOCT video of tracheal ROI from <i>Dnah5</i> ^{+/+} littermate
733	control mice (Left Panel) and <i>Dnah5</i> -/- mice (Right Panel). Playback rate is 40 fps
734	Supplementary Video 5 . Representative μOCT video of tracheal ROI from <i>Dnah5</i> ^{+/+} littermate
735	control mice (Left Panel) and from <i>Dnah5</i> -/- mice (Right Panel) after addition of standardized
736	fluid load. Playback rate is 40 fps
737	Supplementary Video 6. Representative HSVM video of tracheal ROI from <i>Wdr69</i> ^{-/-} mice
738	(Top Panel) and <i>Wdr69</i> ^{+/+} littermate control mice (Lower Panel). Playback rate is 30 fps
739	Supplementary Video 7 . Representative μ OCT video of tracheal ROI from $Wdr69^{+/+}$
740	littermate control mice (Left Panel) and <i>Wdr69</i> ^{-/-} mice (Right Panel). Playback rate is 40 fps
741	Supplementary Video 8 . Representative μ OCT video of tracheal ROI from $Wdr69^{+/+}$
742	littermate control mice (Left Panel) and from Wdr69 ^{-/-} mice (Right Panel) after addition of
743	standardized fluid load. Playback rate is 40 fps.

744